

Editor Contact: Trisha McDonell, (512) 683-6215
Reader Contact: Ernest Martinez, (800) 258-7022

National Instruments Introduces Industry's Highest Performance PXI Digitizers *3 GHz and 5 GHz Digitizers Feature Tektronix[®], Enabling Technology and Extend Digitizer Performance for Automated Test Applications*

AUSTIN, Texas – April 25, 2011 – National Instruments (Nasdaq: NATI) today released the industry's highest bandwidth [PXI](#) digitizer, complementing the rapidly expanding suite of performance instrumentation available in PXI. Co-developed with [Tektronix](#), the world's leading manufacturer of oscilloscopes, the [NI PXIe-5186](#) digitizer employs Tektronix, Enabling Technology to achieve up to 5 GHz bandwidth and 12.5 GS/s sample rates. The company also announced the [NI PXIe-5185](#), which delivers 3 GHz bandwidth along with 12.5 GS/s sample rate. Both digitizers are part of the National Instruments PXI-based hardware and software platform, which provides optimized performance for automated test applications.

“We are excited about our work with Tektronix to jointly develop a product that combines the strengths of both companies: Tektronix for high-speed digitization and NI for software-defined instrumentation,” said Dr. James Truchard, president, CEO and cofounder of National Instruments. “These new digitizers further demonstrate the impact of Moore's Law on test applications, bringing higher performance to smaller footprints such as PXI.”

Proprietary Tektronix performance oscilloscope ASICs in the new digitizers provide the foundation for high-speed signal acquisition with low noise and high linearity, and are based on the highly-reliable IBM 7HP SiGe process. An example of the superior signal fidelity delivered by Tektronix, Enabling Technology is the incredibly low sampling jitter of the digitizer. The very low 500 fs RMS integrated jitter of the digitizers results in a remarkable 5.5 effective number of bits (ENOB) at 5 GHz. National Instruments proprietary technology delivers high-data throughput for faster test execution and precision multimodule timing and synchronization for building high-channel-count, integrated test systems. Designed for the 3U PXI Express platform, the digitizers can stream at rates as fast as 700 MB/s and synchronize channels on multiple modules to within 160 ps resolution. These capabilities make the digitizers ideal for applications such as automated production test, semiconductor ATE and high-energy physics measurement systems.

“As the world standard in oscilloscopes, Tektronix is committed to delivering technology that meets our customers' needs, including automated test users whose production test applications require a card-modular instrument format,” said Kevin Ilcisin, chief technology officer for Tektronix. “Customers benefit from our

industry-leading signal acquisition technology complimented by world class instrument control via National Instruments, the pioneer of the PXI standard and the world leader in instrument automation.”

The digitizers work with [NI LabVIEW](#) graphical design software for instrument control and automation, the [NI LabWindows™/CVI](#) ANSI C software development environment and Microsoft Visual Studio .NET development tools for a wide range of programming options. Engineers can program the digitizers using the NI-SCOPE instrument driver or the new [LabVIEW Jitter Analysis Toolkit](#), which offers a library of functions optimized for high-throughput, jitter, eye diagram and phase noise measurements.

Readers can visit www.ni.com/digitizers to learn more about the new digitizers and the LabVIEW Jitter Analysis Toolkit.

About National Instruments

National Instruments (www.ni.com) is transforming the way engineers and scientists design, prototype and deploy systems for measurement, automation and embedded applications. NI empowers customers with off-the-shelf software such as NI LabVIEW and modular cost-effective hardware, and sells to a broad base of more than 30,000 different companies worldwide, with no one customer representing more than 4 percent of revenue and no one industry representing more than 15 percent of revenue. Headquartered in Austin, Texas, NI has more than 5,200 employees and direct operations in more than 40 countries. For the past 12 years, FORTUNE magazine has named NI one of the 100 best companies to work for in America. Readers can obtain investment information from the company’s investor relations department by calling (512) 683-5090, e-mailing nati@ni.com or visiting www.ni.com/nati. (NATI-G)

About Tektronix

For more than sixty years, engineers have turned to Tektronix for [test, measurement and monitoring solutions](#) to solve design challenges, improve productivity and dramatically reduce time to market. Tektronix is a leading supplier of test instrumentation for engineers focused on electronic design, manufacturing, and advanced technology development. Headquartered in Beaverton, Oregon, Tektronix serves customers worldwide and offers award-winning service and support. Stay on the leading edge at www.tektronix.com.

Pricing and Contact Information

NI PXIe-5186

Priced* from \$31,999; € 30,800; ¥ 4,480,000

NI PXIe-5185

Priced* from \$21,999; €21,199; ¥3,080,000

11500 N Mopac Expwy, Austin, Texas 78759-3504

Tel: (800) 258-7022, Fax: (512) 683-9300

E-mail: info@ni.com

NI LabVIEW Jitter Analysis Toolkit

Priced* from \$2,999; €3,149; ¥420,000

Web: www.ni.com/digitizers

**All prices subject to change*

CVI, LabVIEW, National Instruments, NI and ni.com are trademarks of National Instruments. The mark LabWindows is used under a license from Microsoft Corporation. Windows is a registered trademark of Microsoft Corporation in the United States and other countries. Other product and company names listed are trademarks or trade names of their respective companies.

###